

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	"local security authority" and "security accounts manager"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:52
L2	15	(translat\$3 with credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:52
L3	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/06/05 10:53
L4	1	((US-20030177388-\$).did.	US-PGPUB	OR	OFF	2009/06/05 10:53
L5	2	L3 L4	US-PGPUB; USPAT	OR	ON	2009/06/05 10:53
L6	2	L5 and ((user with interface) or UI)	US-PGPUB; USPAT	OR	ON	2009/06/05 10:53
L7	15	(translat\$3 with credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:53
L8	35	((select\$3 or chosen or choos\$3) near4 ((internet or network) near2 connection) near3 user) same (login or login or pre \$1login or log or sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L9	233	isa and sam	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L10	165	L9 and ad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L11	108	L10 and authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L12	107	L11 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55

L13	233	Isa and sam	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L14	165	L9 and ad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:55
L15	30	L8 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:56
L16	14	L15 and @ad<"20031024"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/05 10:56
L17	0	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2009/06/05 10:56
L18	0	L17 and ("sign-on" or log \$4) same interface)	US-PGPUB	OR	ON	2009/06/05 10:56
S1	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/06 12:07
S2	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 11:31
S3	1	S2 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 11:31
S4	1	S2 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:54
S5	643	(credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:55
S6	9	(translat\$3 with credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 12:55
S7	9	S6 and (authenticat\$4 or authorizat\$4 or validat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 16:58
S8	0	("6807636").URPN.	USPAT	OR	OFF	2006/06/06 13:06

S9	0	("6807636").URPN.	USPAT	OR	OFF	2006/06/06 13:06
S10	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/06 16:58
S11	1	S10 and logg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:17
S12	0	S10 and "log on"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:17
S13	0	S10 and "log in"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S14	0	S10 and "login"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S15	0	S10 and "logon"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/06 17:18
S16	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/07 08:55
S17	1	S16 and "sign-on"	US-PGPUB	OR	ON	2006/06/07 08:56
S18	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/07 10:04
S19	0	S18 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:11
S20	0	S18 and ("not" with logg \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:14
S21	0	S18 and "is not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:15
S22	0	S18 and (is with "not" with logged)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16

S23	0	S18 and "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16
S24	0	S18 and "is not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 10:16
S25	1	S18 and (logon or logged or logging)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:01
S26	0	S18 and ("the user is not logged on")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:02
S27	0	S18 and "the user is not logged on"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:03
S28	0	S18 and "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:04
S29	1	S18 and Isa	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:18
S30	0	S16 and (Isa or sam or ad or kdc)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:19
S31	1	Isa and sam and ad and kdc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:20
S32	166	Isa and sam	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:21
S33	119	S32 and ad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:22
S34	63	S33 and authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23

S35	63	S34 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S36	1	S34 and "token protocol"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S37	63	S34 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:23
S38	2	S37 and credential	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:24
S39	62	S37 and translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:04
S40	1	S39 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 11:25
S41	5	"local security authority" and "security accounts manager"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:06
S42	2	S41 and "active directory"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 13:08
S43	2	S42 and (kdc or "kerberos distribution center")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:30
S44	1	S43 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:17
S45	0	S16 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 14:30
S46	1	S16 and (store or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:38

S47	1	S16 and ((local or remote) same (store or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:39
S48	1	S16 and (local or remote) and (store or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:49
S49	0	S16 and (response with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 15:50
S50	1	S16 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:02
S51	1	S16 and (token with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:02
S52	1	("20040139355").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/07 16:37
S53	0	S52 and translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S54	0	S52 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S55	0	S16 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S56	1	S18 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/07 16:42
S57	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/08 09:50
S58	1	S57 and translat\$4	US-PGPUB	OR	ON	2006/06/08 09:51
S59	0	S57 and (translat\$4 with input\$4)	US-PGPUB	OR	ON	2006/06/08 09:51
S60	0	S57 and (translat\$4 same input\$4)	US-PGPUB	OR	ON	2006/06/08 09:51
S61	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2006/06/08 13:07

S62	0	S61 and rpc	US-PGPUB	OR	ON	2006/06/08 13:08
S63	0	S61 and (("sign-on" or logon) same interface)	US-PGPUB	OR	ON	2006/06/08 13:11
S64	1	S61 and (("sign-on" or log \$4) same interface)	US-PGPUB	OR	ON	2006/06/08 13:12
S65	1	S61 and interface	US-PGPUB	OR	ON	2006/06/08 13:44
S66	1	S61 and remot\$3	US-PGPUB	OR	ON	2006/06/08 13:54
S67	0	S61 and (deferr\$3 or delay \$3)	US-PGPUB	OR	ON	2006/06/08 13:54
S68	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 14:15
S69	0	S68 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:17
S70	0	S68 and ("not" with logged)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:18
S71	1	S68 and logged	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/08 14:18
S72	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/15 16:53
S73	0	S72 and (sign\$4 with on)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:54
S74	0	S72 and (sign or signed or signing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:54
S75	1	S72 and (multiple with way)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:57
S76	0	S72 and "one of a plurality"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 16:57

S77	1	S72 and "plurality"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:40
S78	0	S72 and "trust"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:40
S79	0	S72 and trust\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:41
S80	0	S72 and (defin\$3 with trust \$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 18:42
S81	0	S72 and trust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 19:22
S82	0	S72 and "not logged"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/15 19:22
S83	1	(US-6807636-\$).did.	USPAT	OR	OFF	2007/05/29 18:38
S84	1	S83 and (input with device)	USPAT	OR	ON	2007/05/29 18:45
S85	1	("6609198").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 18:45
S86	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 19:01
S87	1	("20040039909").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/29 19:01
S88	1	S86 and (input with device)	USPAT	OR	ON	2007/05/29 19:00
S89	0	S87 and (input with device)	USPAT	OR	ON	2007/05/29 19:01
S90	0	S87 and (input with device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 19:01

S91	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2007/05/30 14:10
S92	0	S91 and (input with device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:10
S93	0	S91 and input\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:11
S94	0	S91 and input\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 14:16
S95	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 14:42
S96	0	S95 and (sam or ad or kdc or isa)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 14:43
S97	1	("6651168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/10 12:19
S98	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2007/10/10 12:24
S99	2	S97 S98	US-PGPUB; USPAT	OR	ON	2007/10/10 12:24
S100	1	S99 and api	US-PGPUB; USPAT	OR	ON	2007/10/10 12:28
S101	2	S99 and ((user with interface) or UI)	US-PGPUB; USPAT	OR	ON	2007/10/10 12:28
S102	3	(US-20030177388-\$).did. or (US-6651168-\$ or US-6807636-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:44
S103	2	S102 and api	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:44
S104	2	S102 and api	US-PGPUB; USPAT	OR	ON	2008/01/28 13:44
S105	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2008/01/28 15:07
S106	1	S105 and transl\$4	US-PGPUB; USPAT	OR	ON	2008/01/28 14:29

S107	1	S105 and (translat\$4 with credential)	US-PGPUB; USPAT	OR	ON	2008/01/28 14:29
S108	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 16:33
S109	1	S108 and (logg\$3 with credentials)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 15:46
S110	0	S102 and UI	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/28 15:46
S111	1	(US-6651168-\$).did.	USPAT	OR	OFF	2008/01/28 16:04
S112	1	S111 and (login or logon or sig\$1on or logg\$3)	US-PGPUB; USPAT	OR	ON	2008/01/28 16:17
S113	0	S112 and translat\$3	US-PGPUB; USPAT	OR	ON	2008/01/28 16:17
S114	0	S112 and (common with api)	US-PGPUB; USPAT	OR	ON	2008/01/28 16:19
S115	14	common with credential with protocol	US-PGPUB; USPAT	OR	ON	2008/01/28 16:19
S116	5	S115 and api	US-PGPUB; USPAT	OR	ON	2008/01/28 16:25
S117	5	S116 and translat\$3	US-PGPUB; USPAT	OR	ON	2008/01/28 16:20
S118	2	S117 and @ad<"20031024"	US-PGPUB; USPAT	OR	ON	2008/01/28 16:21
S119	1	S108 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/28 16:33
S120	1	(US-6651168-\$).did.	USPAT	OR	OFF	2008/01/31 14:48
S121	1	S120 and authent\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 14:49
S122	1	S120 and (authent\$6 with (log\$4 or sign\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 14:49
S123	1	S120 and (interface with (log\$4 or sign\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/31 15:25

S124	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/09 14:01
S125	1	S124 and (computer \$1readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/09 14:01
S126	0	S124 and (signal or carrier or wave or bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/09 14:03
S127	1	(US-20030177388-\$).did.	US-PGPUB	OR	OFF	2008/10/10 16:08
S128	1	S127 and (initial\$7 with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 16:09
S129	1	pre\$1logon adj access adj provider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:46
S130	57	(select\$3 or chosen or choos\$3) near4 connection near3 user near3 (logon or login or pre\$1logon or log or sign \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:49
S131	38	S130 and @ad<"20031024"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:50
S132	22	S131 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:51
S133	3	(select\$3 or chosen or choos\$3) near4 ((internet or network) near2 connection) near3 user near3 (logon or login or pre\$1logon or log or sign \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:53
S134	3	S133 and @ad<"20031024"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:53

S135	33	((select\$3 or chosen or choos\$3) near4 ((internet or network) near2 connection) near3 user) same (logon or login or pre \$1logon or log or sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:55
S136	29	S135 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:55
S137	14	S136 and @ad< "20031024"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 17:55
S138	1	((US-20030177388-\$).did.	US-PGPUB	OR	OFF	2008/10/10 18:14
S139	1	((US-6651168-\$).did.	USPAT	OR	OFF	2008/10/10 18:15
S140	2	S138 S139	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/10 18:15
S141	0	S140 and ((select\$3 or chosen or choos\$3) near4 connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 18:15
S142	1	("20050091213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/10 19:59
S143	0	S142 and (choos\$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/10 20:00
S144	1	S142 and (select\$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/10 20:00
S145	1	S142 and (select\$3 with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/10 20:02
S146	1	((US-6651168-\$).did.	USPAT	OR	OFF	2009/06/02 15:00
S147	0	S146 and kdc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 15:00

S148	59	(select\$3 or chosen or choos\$3) near4 connection near3 user near3 (login or login or pre\$1login or log or sign \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 20:59
S149	15	(translat\$3 with credential with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 20:59
S150	233	isa and sam	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 20:59
S151	165	S150 and ad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 20:59
S152	108	S151 and authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 20:59
S153	107	S152 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 21:00
S154	3	(select\$3 or chosen or choos\$3) near4 ((internet or network) near2 connection) near3 user near3 (login or login or pre\$1login or log or sign \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/02 21:00

6/ 5/ 2009 10:56:37 AM

C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10693585.wsp